	Hits	Search Text	DBs
1	49	(("5450339") or ("6002716") or ("5005185") or ("5602835") or ("5881057") or ("4816861") or ("4851657") or ("5253268") or ("5349609") or ("5373536") or ("5646958") or ("5745531") or ("5748623") or ("5883929") or ("5940433") or ("6157847") or ("6167037") or ("6349109") or ("6452991") or ("6463097") or ("6226337") or ("6226337") or ("5684894") or ("5706314") or ("5754603") or ("5706314") or ("5754603") or ("4316260") or ("4989000") or ("4316260") or ("4803651") or ("5773806") or ("4803651") or ("6011905") or ("6020972") or ("6157746") or ("6236758") or ("3858703") or ("4250458") or ("4262290") or ("4264134") or ("4267595") or ("4295206") or ("4319077") or ("4319225") or ("4352166") or ("4378118") or ("4380130")).PN.	US-PGPUB; USPAT; USOCR
2	1	wo-200129982-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	1	wo-200035112-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	2	ep-453814-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
			US-PGPUB;
5	2	ep-550143-\$.did.	USPAT; EPO; JPO;
		ep-330 1-3-4.uiu.	DERWENT;
			IBM_TDB
			US-PGPUB;
6	210509 48 @ad<"20010807"	09	USPAT; EPO; JPO;
		DERWENT;	
			IBM_TDB
7	1	("5557645").PN.	US-PGPUB;
		(3337043).FI4.	USPAT; USOCR
8	1 ("6148023").PN.	("64.490.22"\ DNI	US-PGPUB;
		USPAT; USOCR	
9	1	2000-532513.NRAN.	DERWENT

	Hits	Search Text	DBs
10	49	(("5450339") or ("6002716") or ("5005185") or ("5602835") or ("5881057") or ("4816861") or ("4851657") or ("5253268") or ("5349609") or ("5745531") or ("5748623") or ("5748623") or ("5883929") or ("5940433") or ("6157847") or ("6167037") or ("6349109") or ("6452991") or ("6226337") or ("6226337") or ("5684894") or ("5706314") or ("5754603") or ("5754603") or ("5754603") or ("4316260") or ("4989000") or ("4316260") or ("4803651") or ("5773806") or ("4803651") or ("6021905") or ("62263758") or ("622637746") or ("4264134") or ("4262290") or ("4264134") or ("4267595") or ("4295206") or ("4319077") or ("4319225") or ("4352166") or ("4378118") or ("4380130").PN.	US-PGPUB; USPAT; USOCR
11	1	("5557645").PN.	US-PGPUB; USPAT; USOCR
12	1	("6148023").PN.	US-PGPUB; USPAT; USOCR
13	1	wo-200035112-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	wo-200129982-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
			US-PGPUB;
15	2	ep-453814-\$.did.	USPAT; EPO; JPO;
13		ep-4556 14-3.ulu.	DERWENT;
			IBM_TDB
			US-PGPUB;
16	2	ep-550143-\$.did.	USPAT; EPO; JPO;
		op cool to viaia.	DERWENT;
			IBM_TDB
		(S10 or S11 or S12 or S13 or S14	US-PGPUB;
17	31	or \$15 or \$16) and decod\$5 and	USPAT; EPO; JPO;
		@ad<"20010807"	DERWENT;
		(242	IBM_TDB
		(\$10 or \$11 or \$12 or \$13 or \$14	US-PGPUB;
18	3	or \$15 or \$16) and decod\$5 and	USPAT; EPO; JPO;
		(rake or g-rake or (general\$7	DERWENT;
		near2 rake)) and @ad<"20010807" (S10 or S11 or S12 or S13 or S14	IBM_TDB
		or \$15 or \$16) and decod\$5 and	US-PGPUB;
19	1	(rake or g-rake or (general\$7	USPAT; EPO; JPO;
		near2 rake)) and crc and	DERWENT;
		@ad<"20010807"	IBM_TDB
			US-PGPUB;
20	20		USPAT; EPO; JPO;
20	38	g-rake or grake or "g rake"	DERWENT;
			IBM_TDB
		((g-rake or grake or "g rake" or	US-PGPUB;
21	1 "generalized rake") and rak	, ,	USPAT; EPO; JPO;
		near2 compar\$7	DERWENT;
			IBM_TDB
	28		US-PGPUB;
22		((g-rake or grake or "g rake" or "generalized rake") and rake)	USPAT; EPO; JPO;
			DERWENT;
			IBM_TDB

	Hits	Search Text	DBs
23	28	((g-rake or grake or "g rake" or "generalized rake") same rake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	28	((g-rake or grake or "g rake" or "generalized rake") with rake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	16	(g-rake or grake or "g rake" or "generalized rake") and decod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	3	(g-rake or grake or "g rake" or "generalized rake") and decod\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	402	rake and decod\$5 and feedback and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	44	rake and (decod\$5 with feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	35	(rake near2 receiver\$5) and (decod\$5 with feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	1	((rake near2 receiver\$5) near2 feedback) and decod\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	2	((parallel near2 demodula\$7) near2 feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	3	((parallel near2 demodula\$7) near6 feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	8	((parallel near6 demodula\$7) near6 feedback) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	5899	(atarius.in. or eriksson.in. or palenius.in. or carlsson.in. or gustafsson.in. or ostberg.in.) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	33	S34 and rake and receiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2091	(parallel near6 demodula\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	719	(parallel near2 demodula\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	44	(parallel near2 demodula\$7) and rake and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	1000	(adapt\$5 with rake) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	82	(adapt\$5 with rake with parallel) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
41	52	(adapt\$5 with rake with parallel) and receiv\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	3	(adapt\$5 with rake with parallel) and (decod\$5) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	8	(correlat\$5 near2 tim\$5 near2 channel near2 estimat\$5) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	1	"non-spread spectrum" near2 demodulat\$5 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	11	(demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	2	(partial near2 decod\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	1	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377).ccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	1	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377).ccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
			US-PGPUB;
49	1	wo-200129982-\$.did.	USPAT; EPO; JPO;
7-3	*	W0-200 129902-\$.ala.	DERWENT;
			IBM_TDB
			US-PGPUB;
50	1	wo-200035112-\$.did.	USPAT; EPO; JPO;
30		W0-200033112-\$.uiu.	DERWENT;
			IBM_TDB
			US-PGPUB;
51	2	"6148023".pn.	USPAT; EPO; JPO;
	_	0140023 .pm.	DERWENT;
			IBM_TDB
52	0	("5572552.pn.").PN.	US-PGPUB;
		(0072002.pm.).FR.	USPAT; USOCR
53	1	/"EE72EE2"\ DN	US-PGPUB;
	•	("5572552").PN.	USPAT; USOCR
		correlat\$7 and (symbol\$7 near2	US-PGPUB;
54	6546	represent\$7) and	USPAT; EPO; JPO;
		@ad<"20010807"	DERWENT;
		euu - 20010007	IBM_TDB
		correlat\$7 same (symbol\$7 near2	US-PGPUB;
55	1	represent\$7) same ((further or	USPAT; EPO; JPO;
	-	more) near2 process\$7) and	DERWENT;
		@ad<"20010807"	IBM_TDB
		correlat\$7 same (symbol\$7 near2	US-PGPUB;
56	56	represent\$7) same (nois\$7 or	USPAT; EPO; JPO;
		quali\$7 or snr) and	DERWENT;
		@ad<"20010807"	IBM_TDB
	21	correlat\$7 same (symbol\$7 near2	
		represent\$7) same ((further or	US-PGPUB;
57		more or again or repeat\$7 or	USPAT; EPO; JPO;
		repet\$7) near2 (process\$7 or	DERWENT;
		analy\$7 or correlat\$7)) and	IBM_TDB
		@ad<"20010807"	

	Hits	Search Text	DBs
58	10	correlat\$7 same (symbol\$7 near2 represent\$7) same ((further or more or again) near2 (process\$7 or analy\$7 or correlat\$7)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	233426	((further or more or again) near2 (process\$7 or analy\$7 or correlat\$7)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	41	(((further or more or again or repeat\$7 or repet\$7) near2 (process\$7 or analy\$7 or correlat\$7))) with (based near2 (nois\$7 or quali\$7 or snr)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	38	(((further or more or again or repeat\$7 or repet\$7) near2 (process\$7 or analy\$7 or correlat\$7))) with (based near2 (nois\$7 or quali\$7 or snr)) and (select\$7 or choos\$7 or choic\$7 or pick\$7) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	3	("6463097").URPN.	USPAT
63	6	("6097716" "6112325" "6134278" "6147964" "6167079" "6175590").PN.	US-PGPUB; USPAT; USOCR
64	9	S63 or S64 and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
65	47	(((further or more or again or repeat\$7 or repet\$7 or futur\$7) near2 (process\$7 or analy\$7 or correlat\$7 or decod\$7 or discriminat\$7 or work\$7))) with (based near2 (nois\$7 or quali\$7 or snr)) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	2	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377, 455/130, 455/132, 455/133, 455/135).ccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	4	("5216676" "5339334" "5504774" "6937005").PN.	US-PGPUB; USPAT; USOCR
68	3	("6181749").URPN.	USPAT
69	2	(375/130, 375/140, 375/141, 375/142, 375/147, 375/144, 375/148, 375/150, 375/316, 375/377, 455/130, 455/132, 455/133, 455/135).ccls. and (demodulat\$5 near2 select\$5 near2 quality) and @ad<"20010807"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB